

Weight Control Trend Analysis and Progressive Behavior Modification of A T2D Patient Using GH-Method: Math-Physical Medicine (No. 307)

Gerald C. Hsu

eclairMD Foundation, USA.

**Corresponding Author:* Gerald C. Hsu, eclairMD Foundation, USA.

Abstract

In this article, the author used 10-years' worth of data of glucoses and prominent lifestyle details such as diet and exercise to address weight reduction trend pattern and his progressive lifestyle behavior modifications. The research methodology used is the GH-Method: math-physical medicine (MPM) approach which has been developed by the author over the past decade. This "Progressive Behavior Modification" concept is also a part of his Mentality-Personality Modeling (MPM). He addresses the quantitative linkage between obesity physiological phenomena and behavior psychological influences of an obese patient.

He has created a geometric presentation model with the meal portion percentage as the x-axis, daily walking steps as the y-axis, and daily weight as the z-axis (Figure 2). He decided to "fold over" the z-axis and superimpose it with the x-y planar space in a form of "radio wave" format. Under this created 3D presentation on a 2D planar space, the weight reduction trend pattern becomes ultra-clear. Over the past 10-years, the path of his annual weight movement started from the upper right corner (subregion E5 in 2010), moving with ~45 degree downward angle before arriving to the near upper middle portion (subregion D4 in 2013), and then continuously dropping to the lower middle location (subregion C1 in 2018).

In summary, his body weight moving path is a 45-degree downward angle to the left and then straight down to the bottom. His annualized average daily weight has been reduced from the starting point of 220 lbs. in 2010 through the "reflection point" of 183 lbs. in 2013, and then straight down to the ending point of 171-173 lbs. in 2018-2020. The triangular relationship among diet, exercise, and daily weight can be easily observed on this "weight reduction trend pattern" diagram (Figure 2).

Through analyzing those distinctive daily glucose trend patterns, the personality traits and behavior psychological characteristics of this T2D patient can be revealed instantly and clearly. As a result, a more practical guidance of "progressive behavior modification" can be provided to other T2D patients in order to improve their medical conditions for chronic diseases, where some are caused by obesity.

INTRODUCTION

In this article, the author used 10-years' worth of data of glucoses and prominent lifestyle details such as diet and exercise to address weight reduction trend pattern and his progressive lifestyle behavior modifications. The research methodology used is the GH-Method: math-physical medicine (MPM) approach which has been developed by the author over the past decade. This "Progressive Behavior Modification" concept is also a part of his Mentality-Personality

Modeling (MPM). He addresses the quantitative linkage between obesity physiological phenomena and behavior psychological influences of an obese patient.

METHOD

GH-Method: Math-Physical Medicine (MPM) Methodology

The description below explains the MPM research methodology developed by the author utilized in his biomedical research (Reference 1).

Weight Control Trend Analysis and Progressive Behavior Modification of A T2D Patient Using GH-Method: Math-Physical Medicine (No. 307)

Any system, whether medical, political, economic, engineering, biological, chemical, and even psychological have causes or triggers (inputs) and consequences (outputs). There are definitely some existing connections between inputs and outputs that can be either simple or complicated. The inputs and outputs of any type of system, including biomedical system, can be observed visually or measured by certain instruments. These physically observed phenomena, including features, images, incidents, or numbers are merely the partial “physical expression” of these underneath system structure. This system structure includes human organs for a biomedical system, the human brain for a neurological or mental system, or steel plate for structural or mechanical engineering system.

Once we have collected these readings of the physical phenomena (external expression, similar to a behavior, symptom, or response), through either incident, image, or data, we should be able to organize or categorize them in a logical manner. When we check or analyze these partial physical phenomena outputs and cannot figure out why they act or behave in certain way due to internal causes, reasons, or stressors, we can try to develop some guesses or formulate some reasonable hypotheses based on some available basic principles, theories, or concepts from physics. At this point, we just cannot pull out an existing equation from a physics textbook and insert these input variables in to conduct a “plug and play” game. An equation is an expression of a concept or a theory, which is usually associated with some existing conditions, either initial or boundary; however, a biomedical system usually has different kind of conditions from other systems.

After understanding the meaning of observed physical phenomena, the next step is to prove the hypothesis, guess, or interpretation of the phenomenon being correct or incorrect. At this stage, a solid understanding of mathematics becomes extremely useful to develop a meaningful model which could represent or interpret these observed physical phenomena and created hypothesis. In addition, some engineering modeling techniques, such as finite element method and computer science tools, including software, artificial intelligence (AI), and big data analytics can offer great assistance on verification of analysis results from these mathematical operations.

If the mathematical results cannot support the created hypothesis, then a new hypothesis needs to be

formulated. When this new hypothesis is proven to be correct, then we can extend or convert this hypothesis into a useful mathematical equation or into a simpler arithmetical formula for others to adopt this easier way of thinking and understanding of the results. In the final stage, the derived mathematical equation or arithmetical formula can then be used to “predict” future outcomes of the selected system based on other different sets of inputs.

Obesity & Diabetes Research

Since 1995, the author was a severe T2D patient, who was also obese. He developed many serious complications, including 5 cardiovascular episodes and renal difficulties, and finally, in 2010, they became life-threatening. Therefore, he has spent the next 10-years to self-study and research obesity, diabetes, metabolism, and endocrinology, in order to save his own life.

The author has learned the following biomedical relationships between cause/reason and consequence/result (from top to bottom):

- Poor Lifestyle management
- Metabolic disorder
- Obesity
- Chronic diseases
- Complications
- Weak Immunity
- Various diseases lead to death

His first priority was to focus on learning both lifestyle and metabolism before dealing with his obesity and diabetes issues. Then, he was able to concentrate on obesity along with his parallel research efforts on diabetes.

The author immigrated to the United States as a young student in 1969, with a body weight of 145 pounds or BMI of 20.8. By 2010, he has had diabetes for over 15 years, and weighed 220 pounds or BMI of 32.5. In other words, he has gained 75 lbs. within 41 years, or a linear increasing rate of 1.8 lbs. per year.

He then spent his first four years, from 2010 to 2013, to self-study 6 chronic diseases, i.e. obesity, diabetes, hypertension, hyperlipidemia, cardiovascular diseases, stroke, as well as food nutrition. Food is probably the most important and also complicated input element

Weight Control Trend Analysis and Progressive Behavior Modification of A T2D Patient Using GH-Method: Math-Physical Medicine (No. 307)

to influence these chronic diseases. After his first 4-years of self-learning, he then spent the entire year of 2014 to develop a complex model of metabolism. This mathematical model contains 4 biomarkers of medical conditions (weight, glucose, blood pressure, and lipids) along with 6 lifestyle details (food portion and nutritional balance, water intake, exercise, sleep amount and quality, stress reduction, and daily life routines regularity). He applied the concept of topology from mathematics and the approximation modeling technique of finite element method from engineering to develop this metabolism model which became the cornerstone of his future medical research work. His overall health conditions started to be improved noticeably after 2014.

Starting from 2015, he spent three consecutive years, from 2015 to 2017, to discover the characteristics and behaviors of this complex “wild beast” of glucose. His major objective is to truly understand the “inner characteristics” of glucose, not just using medication’s chemical power to control the disease’ external biological “symptoms”. His research work is similar to a horseman trying to tame a horse by understanding its temperament first, not just giving a tranquilizer to calm it down. As a result, during this period of 3-years, he has developed 4 prediction models, which include Weight, PPG, FPG, and HbA1C with an extremely high prediction accuracy (95% to 99%) to reach to his purpose of “*understanding glucoses*”.

The author estimated and proved that PPG contributes approximately 75% to 80% towards HbA1C formation. Therefore, he tried to unravel the mystery of PPG first. Through his diabetes research, he has identified at least 19 influential factors associated with PPG formation. Among those influential factors, diet (carbs/sugar intake amount) would provide ~38% and exercise (post-meal walking) would contribute ~41%. Combining these two primary influential factors, it gives ~80% of the PPG formation. Among the rest of the 17 secondary factors, a high weather temperature contributes ~5%, whereas stress and illness only make noticeable contributions when they occur.

For most T2D patients who take medications, its biochemical effect would become the most significant influential factor. However, as we know, medication cannot cure diabetes and only control its symptoms. Therefore, the author decided to

focus on controlling his obesity and diabetes at the most fundamental level by investigating its root cause. Previously, he has taken high doses of three prescribed diabetes medications for 18 years since 1997; however, in 2013, he started to reduce the number of prescriptions and dosages of his daily medications. By 12/8/2015, he finally ceased taking any diabetes medications.

From 2016 to 2017, he discovered a solid statistical connection between his FPG and his body weight with a >90% of correlation coefficient. In addition, similar to his PPG research, he also recognized that there are about 5 influential factors of FPG formation with weight alone contributing >85% and cold weather temperature influencing ~5%.

Since July 2019, he also launched a special investigation on the degree of damage to his pancreatic beta cells. During the past 12-months of research work, he noticed that both of his FPG and PPG have been decreased in the past 6 to 8 years at an annual rate of 2.2% to 3.2%. In other words, his pancreatic beta cells have been self-regenerating or self-repairing about 13% to 26% over these 6-8 years. He then thought about FPG as being a good indicator on how healthy his pancreatic beta cells are since there are no food intake and exercise while sleeping. In addition, during the last 5 years, his body weight has been maintained around 172 lbs. Besides, his body has been medication-free over the past 5-years as well. It makes sense that FPG carries a significant and clear message about his health status of pancreatic beta cells; therefore, it can be served as the baseline of his overall glucose predications.

The detailed explanation of his glucose research is provided because weight and glucose are inter-wound together and are based on lifestyle management to achieving metabolism balance.

Weight Trend-Pattern Diagram

A typical patient with chronic disease faces three major challenges:

- (1) Availability of accurate and precise disease information with either physical evidences or quantitative proofs, not just some general qualitative descriptions that may include false or commercial driven news over the internet (a knowledge issue).

Weight Control Trend Analysis and Progressive Behavior Modification of A T2D Patient Using GH-Method: Math-Physical Medicine (No. 307)

- (2) Awareness of the disease's specific status and overcome self-denial in order to take effective actions. The most difficult barrier to overcome is having determination, willpower, and persistence on lifestyle change (a behavior issues).
- (3) An effective, and ease of use technology-based tool to accurately predict biomedical outcomes and also guide patients (a technology issue).

The GH-Method: MPM research methodology and its related obesity and diabetes research work cover the scope of this first issue, knowledge. The third issue, technology, has also been discussed in his previously published papers (Reference 2). This investigation report addresses the second issue, behavior, specifically, i.e. a patient's lifestyle behavior on his diet control and exercise. Beyond acquiring accurate and sufficient knowledge of obesity and diabetes, the resistance of food temptation and diligence with daily exercise affect every patient on a daily basis. Both of these lifestyle behaviors regarding food and exercise require strong determination, willpower, and persistence to achieve the goal in controlling obesity and diabetes. These concerns are related to a patient's personality traits.

The author has collected a total of two million data of his medical conditions and lifestyle details for the past ten years (2010 to 2020). In this particular study, he only utilized three subsets of his collected and stored big data: body weight measured in early mornings before breakfast, meal portion percentage of the amount of his "normal" meal, and daily total number of walking steps. It should be noted that there are many different types of exercise. However, for a senior citizen like the author himself, who has suffered many severe diabetes complications in the past, he found that walking is his best choice.

As he described in his diabetes research section, his learned knowledge and research results of diabetes control are progressively introduced and added into his data collection software from earlier years moving into later years. In short, he studied both diseases and nutrition from 2010 to 2013, then started collecting his daily weight data since 2012, daily walking steps since 2013, and detailed meal portion percentage since 2016. Before accumulating this additional data, he already collected some partial data, but not on a daily basis and with an organized fashion similar to those periods after the starting years. However, his best

guesstimated annualized data, prior to those starting years, are still able to provide an accurate annualized information. Therefore, in the data table, the red-colored data are his guesstimated annual data based on partial collected data, while the black-colored data are collected real data based on each meal and each day within an entire year (Figure 1).

In order to demonstrate the results of his "**trend pattern analysis**", he created a modified two-dimensional (2D) planar space which can present a three-dimensional (3D) data information. Initially, he set his x-coordinate as his meal portion percentage from low scale to high scale with the following 5 segments:

- Segment A: 60-70 %
- Segment B: 70-80 %
- Segment C: 80-90 %
- Segment D: 90-100 %
- Segment E: 100-110 %

Secondly, he set his y-coordinate as his daily walking steps from high scale to low scale with the following 5 segments:

- Segment 1: 16 - 20k steps
- Segment 2: 12 - 16k steps
- Segment 3: 8 - 12k steps
- Segment 4: 4 - 8k steps
- Segment 5: 0 - 4K steps

Therefore, these x- and y-axes constitute a 2D planar space with a total of 25 sub-regions inside, such as A1 through E5.

Thirdly, he set his "pseudo" z-coordinate" as his daily body weight levels from low scale (lower left corner) to high scale (upper right corner) in a "radio-wave" format with the following 6 segments:

- Segment 1: 170-175 lbs.
- Segment 2: 175-180 lbs.
- Segment 3: 180-185 lbs.
- Segment 4: 185-190 lbs.
- Segment 5: 190-200 lbs.
- Segment 6: 200-210 lbs. - His weight of 220 lbs. in 2010 was beyond this segment.

Weight Control Trend Analysis and Progressive Behavior Modification of A T2D Patient Using GH-Method: Math-Physical Medicine (No. 307)

However, for a better view, he has superimposed his z-axis on his 2D planar x-y space with a “radio-wave” format to show their different weight levels (Figure 2). In this presentation, the reader of this article can easily observe the weight reduction trend pattern from 2010 to 2020 along with their respective relationship with meal portion percentage and daily walking steps.

From observing this weight trend pattern diagram, patients can modify their behavior one step at a time, by taking little steps on a smaller scale. This is what the author defined as a “*progressive behavior modification*”.

RESULTS

In Figure 1, it shows the background data table and line chart of 3 values, average daily weight, average meal portion percentage, and average daily walking steps. Body weight is directly proportional to food intake quantity (energy input) and reversed proportional to daily overall exercise level (energy output). Therefore, on this line chart of time-series diagram, body weight and food portion percentage are moving in unison with a positive correlation coefficient (+88%), while body weight and daily walking steps are moving in opposite directions with a negative correlation coefficient (-89%) as shown in Figure 3. In 2010, the author’s weight was 220 lbs., moving forward with a lower daily glucose, he weighed 175 lbs. in 2015, and finally reaching 172 lbs. in 2020.




Fig1. Background data table and line chart of weight, meal portion %, and daily walking steps (2010-2020)

Weight Control Trend Analysis and Progressive Behavior Modification of A T2D Patient Using GH-Method: Math-Physical Medicine (No. 307)

Beginning in 2010, he reduced his meal portion percentage from 114% per meal down to 68% per meal in 2020. Over this 10-year period, he increased his daily walking exercise from 1,200 steps per day in 2010 up to 18,500 steps per day in 2018. Due to his heavy travel schedule to attend 65+ international medical conferences, his daily walking was interrupted and reduced to 16,200 steps in 2020. His weight reduction in this trend pattern diagram demonstrates what he previously stated, “*control obesity from the most fundamental core level, i.e. reducing food portion and increasing exercise level*”.

In Figure 2, he created a presentation diagram of “radio-wave” glucose format on a 2D planar space. This diagram actually depicts his “weight reduction trend pattern” with his lifestyle behavior

modifications. It is not an easy task to *reduce* one’s food intake quantity from 114% of normal portion to 2/3 (68%) of the normal portion, while *maintaining* daily walking steps of ~16,000 (6.7 miles or 10.7 km) for 6 years. It requires strong determination, willpower, and persistence to maintain these disciplined behaviors for 6 to 8 years. The author has done this task successfully; therefore, he saved his own life from the life-threatening complications of diabetes, such as five cardiovascular episodes and renal difficulties. The overall health accomplishments started with his weight reduction from 220 lbs. (100 kg or BMI 32.5) in 2010 down to 172 lbs. (78 kg or BMI 25.4) in 2020. In Figure 2, we can see clearly that these lifestyle behavior modification efforts finally paid off in the long run. *There is nothing better than living a healthier and longer life.*




Fig2. Weight reduction trend pattern diagram among body weight, meal portion %, and daily walking steps (2010-2020)

His daily body weight (the grey-colored star signs of the pseudo z-axis data) started from the upper right corner of 220 lbs. in 2010 (subregion E5) moving toward the lower left direction with a ~45 degree downhill slope until 2013 (subregion D4), and then dropping “straight downward” like a “free-falling” object until his weight reached 171 lbs. in 2018

(subregion A3). All of these achievements are acquired from having correct knowledge and being persistent with his diet and exercise regimen. This case has demonstrated the patient’s strong determination, willpower, and persistence along with his continuous struggle to maintain his levels of diet portion control and constant walking exercise over the past 10 years.




Fig3. Two high correlations from time-series diagrams of weight vs. meal's portion % (+) and weight vs. daily walking steps (-) (2010-2020)

CONCLUSION

In summary, his entire body weight moving path is a 45-degree downward angle to the left and then straight down to the bottom. His annualized average daily weight has been reduced from the starting point of 220 lbs. in 2010 through the “reflection point” of 183 lbs. in 2013, and then straight down to the ending point of 171-173 lbs. in 2018-2020. The triangular relationship among diet, exercise, and daily weight can be easily observed on this “weight reduction trend pattern” diagram (Figure 2).

Through analyzing those distinctive daily glucose trend patterns, the personality traits and behavior psychological characteristics of this T2D patient can be revealed instantly and clearly. As a result, a more practical guidance of “progressive behavior

modification” can be provided to other T2D patients in order to improve their medical conditions for chronic diseases, where some are caused by obesity.

REFERENCES

- [1] Hsu, Gerald C. (2019). eclairMD Foundation, USA. “GH-Method: Methodology of math-physical medicine (No. 54).”
- [2] Hsu, Gerald C. (2019). eclairMD Foundation, USA. “Controlling type 2 diabetes via artificial intelligence technology using GH-Method: math-physical medicine (No. 125).”
- [3] Hsu, Gerald C. (2019). eclairMD Foundation, USA; “Guesstimate probable partial self-recovery of pancreatic beta cells using calculations of annualized glucose data using GH-Method: math-physical medicine (No. 139).”

Weight Control Trend Analysis and Progressive Behavior Modification of A T2D Patient Using GH-Method: Math-Physical Medicine (No. 307)

- [4] Hsu, Gerald C. (2019). eclaireMD Foundation, USA. "Using wave characteristic analysis to study T2D patient's personality traits and psychological behavior using GH-Method: math-physical medicine (No. 52)."
- [5] Hsu, Gerald C. (2019). eclaireMD Foundation, USA. "Trending pattern analysis and progressive behavior modification of two clinic cases of correlation between patient psychological behavior and physiological characteristics of T2D Using GH-Method: math-physical medicine & mentality-personality modeling (No. 53)."
- [6] Hsu, Gerald C. (2019). eclaireMD Foundation, USA. "Using wave characteristic analysis to study T2D patient's personality traits and psychological behavior based on GH-Method: Math-Physical Medicine (No. 59)."
- [7] Hsu, Gerald C. (2019). eclaireMD Foundation, USA. "Using GH-Method: math-physical medicine, mentality-personality modeling, and segmentation pattern analysis to compare two clinic cases about linkage between T2D patient's psychological behavior and physiological characteristics (No.72)."
- [8] Hsu, Gerald C. (2019). eclaireMD Foundation, USA. "Using artificial intelligence technology to overcome some behavioral psychological resistance for diabetes patients on controlling their glucose level using GH-Method: math-physical medicine & mentality-personality modeling (No. 93)."
- [9] Hsu, Gerald C. (2020). eclaireMD Foundation, USA. "A comparison of three glucose measurement results during COVID-19 period using GH-Method: math-physical medicine (No. 303)."

Citation: Gerald C. Hsu. *Weight Control Trend Analysis and Progressive Behavior Modification of A T2D Patient Using GH-Method: Math-Physical Medicine (No. 307)*. *Archives of Community and Family Medicine*. 2020; 3(2): 50-57.

Copyright: © 2020 Gerald C. Hsu. *This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.*